

# Bloomberg

## Accessibility Conformance Report for the BLOOMBERG TERMINAL® service

### Table of Contents:

- I. [About this Report](#)
- II. [Responses to Web Content Accessibility Guidelines \(WCAG\) 2.2](#)
  - A. [Principle 1: Perceivable](#)
  - B. [Principle 2: Operable](#)
  - C. [Principle 3: Understandable](#)
  - D. [Principle 4: Robust](#)
- III. [Disclaimer](#)

## I. About this Report:

This accessibility report (hereinafter the “Report”) is for the BLOOMBERG TERMINAL® service (the “Service”). The Service is owned and distributed by Bloomberg Finance L.P. and/or its affiliates (as applicable, “Bloomberg”). Approximately 96% of the most frequently used functions available on the Service are covered by this report. However, the Service contains thousands of functions<sup>1</sup>, and a small number are not covered by this report. Bloomberg has made efforts to specify such exceptions where applicable, including, but not limited to, the following:

- Any third-party content that Bloomberg redistributes without changing its format. Examples include: news web pages presented directly from external sources via an embedded web browser; PDF files (e.g., research reports, call transcripts, company filings, etc.); and apps created by third parties available through Bloomberg’s App Portal.
- Legacy Bloomberg applications that have not been updated to use newer functionality.
- Certain instances of the Service accessed remotely.

**Report Date:** December 2025

**Operating System:** 64-bit Windows 11

**Product Build:** Terminal Build Version 184.2.81 (Release Date: December 8, 2025)

**Conformance Level:** [WCAG 2.2 AA](#)

<sup>1</sup>In this report, functions and features of the Service are referred to as “applications.” These “applications” are part of the integrated Service and are not stand-alone software or services.

## II. Responses to Web Content Accessibility Guidelines (WCAG) 2.2

### A. Principle 1: Perceivable

Information and user interface components must be presentable to users in ways they can perceive.

#### Guideline 1.1 Text Alternatives

Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.1.1 Non-text Content:</b> All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in situations listed in <a href="#">WCAG 2.2 1.1.1</a>.</p>	Partially Supported	<p>Some images included in news reader content provide text alternatives.</p> <p>Interactive charts do not. Some news related audio/video content is captioned and some is not, depending on its source.</p>

#### Guideline 1.2 Time-based Media

Provide alternatives for time-based media.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.2.1 Audio-only and Video-only (Prerecorded):</b> For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:</p> <ul style="list-style-type: none"> <li>• <u>Prerecorded Audio-only</u>: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content.</li> <li>• <u>Prerecorded Video-only</u>: Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content.</li> </ul>	Not Supported	<p>The Service does not provide text alternatives for prerecorded audio-only content. Bloomberg-generated podcasts and prerecorded Bloomberg radio segments have accompanying brief summaries, but do not offer a detailed transcript.</p>

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.2.2 Captions (Prerecorded):</b> Captions are provided for all pre-recorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	<p>Partially Supported</p>	<p>Some, but not all, prerecorded Bloomberg TV segments accessed via the Service have captions. Podcasts are not captioned.</p>
<p><b>1.2.3 Audio Description or Media Alternative (Prerecorded):</b> An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	<p>Not Supported</p>	<p>The Service does not provide a text or audio description of video content, such as describing the physical actions taken by individuals appearing in a video.</p>

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.2.4 Captions (Live):</b> Captions are provided for all live audio content in synchronized media.</p>	<p>Partially Supported</p>	<p>Live captions are provided for Bloomberg TV, but not for Bloomberg Radio or third-party content media content consumed via the Service.</p>
<p><b>1.2.5 Audio Description (Prerecorded):</b> Audio description is provided for all prerecorded video content in synchronized media.</p>	<p>Not Supported</p>	<p>All Bloomberg-created videos accessed via the Service have audio content, but this audio content does not include specific descriptions of the accompanying visual.</p>

### Guideline 1.3 Adaptable

Create content that can be presented in different ways (for example simpler layout) without losing information or structure.

Criteria	Supporting Feature	Remarks and Explanations
<b>1.3.1 Info and Relationships:</b> Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Partially Supported	The Service makes use of semantic tags, such as <h#>, <label>, or <table>, on a limited basis.
<b>1.3.2 Meaningful Sequence:</b> When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Supported	
<b>1.3.3 Sensory Characteristics:</b> Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.	Supported	
<b>1.3.4 Orientation:</b> Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	Not Applicable	
<b>1.3.5 Identify Input Purpose:</b> The purpose of each input field collecting information about the user can be programmatically determined when: <ul style="list-style-type: none"><li>• The input field serves a purpose identified in the Input Purposes for User Interface Components section; and</li><li>• The content is implemented using technologies with support for identifying the expected meaning for form input data.</li></ul>	Not Applicable	Service applications are not web forms that require inputs such as names, addresses, phone numbers, credit cards etc. As such, marking user input for the purposes defined in <a href="https://www.w3.org/TR/WCAG21/#input-purposes">https://www.w3.org/TR/WCAG21/#input-purposes</a> is not applicable.

## Guideline 1.4 Distinguishable

Make it easier for users to see and hear content including separating foreground from background.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.4.1 Use of Color:</b> Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>Partially Supported</p>	<p>Links might be problematic in cases where they are not differentiated from other labels.</p> <p>The error state of an entry might not be clear, as there is typically no other indication other than a red background.</p> <p>Style classes usually convey their meaning purely by color, except for market up and down, where we usually add a +/- next to the value.</p>
<p><b>1.4.2 Audio Control:</b> If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</p>	<p>Partially Supported</p>	<p>For audio/visual content accessed via the Service, the integrated media player has all described controls. However, audio alerts (e.g., when a user receives a message) do not comply with the guidelines.</p>
<p><b>1.4.3 Contrast (Minimum):</b> The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</p> <ul style="list-style-type: none"> <li>• <b>Large Text:</b> Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;</li> <li>• <b>Incidental:</b> Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.</li> <li>• <b>Logotypes:</b> Text that is part of a logo or brand name has no minimum contrast requirement.</li> </ul>	<p>Supported</p>	<p>The default style and our most commonly used style classes all have a contrast ratio higher than the recommended minimum.</p> <p>Certain applications provide the flexibility to change the background and foreground colors in such a way that this guideline may no longer be supported in some cases.</p>

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.4.4 Resize text:</b> Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	Supported	Service applications provide a way to increase the font size through zoom controls, font-size controls or window scaling.
<p><b>1.4.5 Images of Text:</b> If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:</p> <ul style="list-style-type: none"> <li>• <b>Customizable:</b> The image of text can be visually customized to the user's requirements;</li> <li>• <b>Essential:</b> A particular presentation of text is essential to the information being conveyed.</li> </ul>	Partially Supported	Some pages (e.g., cancel pages and marketing screens) use images and flash objects with no text alternative that are not compliant with this guideline. These pages represent an immaterial portion of the content available on the Service.
<p><b>1.4.10 Reflow:</b> Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for:</p> <ul style="list-style-type: none"> <li>• Vertical scrolling content at a width equivalent to 320 CSS pixels;</li> <li>• Horizontal scrolling content at a height equivalent to 256 CSS pixels;</li> </ul> <p>Except for parts of the content which require two-dimensional layout for usage or meaning.</p>	Partially Supported	<p>Due to the nature of our scaling approach, we mostly do not alter the reflow, except for applications like IB and MSGN. Complex tabular data is an exception to this criterion.</p> <p>For certain frequently used Service applications, such as IB, MSG and news reader, the content reflows up to 400% without a problem. We impose a minimum logical pixel size and then display the horizontal scroll bar.</p>

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.4.11 Non-Text Contrast:</b> The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):</p> <ul style="list-style-type: none"> <li>• <u>User Interface Components:</u> Visual information used to indicate states and boundaries of user interface components, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author;</li> <li>• <u>Graphical Objects:</u> Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.</li> </ul>	Partially Supported	Checkbox and radio buttons do not support this guideline when unchecked (in default and disabled state).
<p><b>1.4.12 Text Spacing:</b> In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:</p> <ul style="list-style-type: none"> <li>• Line height (line spacing) to at least 1.5 times the font size;</li> <li>• Spacing following paragraphs to at least 2 times the font size;</li> <li>• Letter spacing (tracking) to at least 0.12 times the font size;</li> <li>• Word spacing to at least 0.16 times the font size.</li> </ul>	Not Supported	

Criteria	Supporting Feature	Remarks and Explanations
<p><b>1.4.13 Content on Hover or Focus:</b> Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:</p> <ul style="list-style-type: none"> <li>• <b>Dismissable:</b> A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content;</li> <li>• <b>Hoverable:</b> If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing;</li> <li>• <b>Persistent:</b> The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.</li> </ul>	<p>Partially Supported</p>	<p>Autocomplete dropdown menus, flyout sub menus and pill sharktooth are some examples where we show content on focus or hover and we are compliant with the criterion.</p> <p>These guidelines are not supported in situations like rich tooltips, which cannot be escaped.</p>

## B. Principle 2: Operable

User interface components and navigation must be operable.

### Guideline 2.1 Keyboard Accessible

Make all functionality available from a keyboard.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.1.1 Keyboard:</b> All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	Partially Supported	Service applications have multiple keyboard interaction systems that provide access to most, but not all, content functionality.
<p><b>2.1.2 No Keyboard Trap:</b> If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.</p>	Supported	
<p><b>2.1.4 Character Key Shortcuts:</b> If a keyboard shortcut is implemented in content using only letter (including upper-and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:</p> <ul style="list-style-type: none"> <li>• <b>Turn off:</b> A mechanism is available to turn the shortcut off;</li> <li>• <b>Remap:</b> A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc);</li> <li>• <b>Active only on focus:</b> The keyboard shortcut for a user interface component is only active when that component has focus.</li> </ul>	Not Applicable	The Service does not include any single character shortcuts.

## Guideline 2.2 Enough Time

Provide users enough time to read and use content.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.2.1 Timing Adjustable:</b> For each time limit that is set by the content, at least one of the following is true:</p> <ul style="list-style-type: none"><li>• <b>Turn off:</b> User is allowed to turn off time limit before encountering it; or</li><li>• <b>Adjust:</b> The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or</li><li>• <b>Extend:</b> The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or</li><li>• <b>Real-time Exception:</b> The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or</li><li>• <b>Essential Exception:</b> The time limit is essential and extending it would invalidate the activity; or</li><li>• <b>20 Hour Exception:</b> The time limit is longer than 20 hours.</li></ul>	Not Supported	

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.2.2 Pause, Stop, Hide:</b> For moving, blinking, scrolling, or auto-updating information, all of the following are true:</p> <ul style="list-style-type: none"> <li>• <b>Moving, blinking, scrolling:</b> For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and</li> <li>• <b>Auto-updating:</b> For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.</li> </ul>	Partially Supported	Some Service applications do not provide a way to pause, stop or hide moving, blinking, scrolling or auto-updating information.

### Guideline 2.3 Seizures

Do not design content in a way that is known to cause seizures.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.3.1 Three Flashes or Below Threshold:</b> Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.</p>	<p>Supported</p>	<p>By default, flashing in the Service is limited to small portions of the screen.</p> <p>For example, there is flashing for the B-Unit biometric authentication. However, we typically disable this for clients who are sensitive to flashing, and a version of this system that uses an Android or iOS mobile app no longer has flashing.</p> <p>It is also possible to create a monitoring worksheet that would breach this requirement - however, this would take effort on behalf of the end-user.</p> <p>The tool PEAT was used to verify this requirement using very active screens, such as FXC and WEI.</p>

### Guideline 2.4 Navigable

Provide ways to help users navigate, find content, and determine where they are.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.4.1 Bypass Blocks:</b> A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.</p>	<p>Not Supported</p>	
<p><b>2.4.2 Page Titled:</b> Web pages have titles that describe topic or purpose.</p>	<p>Partially Supported</p>	
<p><b>2.4.3 Focus Order:</b> If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>	<p>Supported</p>	

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.4.4 Link Purpose (In Context):</b> The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.</p>	Supported	
<p><b>2.4.5 Multiple Ways:</b> More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in a process.</p>	Supported	<p>Service applications can be discovered via multiple mechanisms, including, but not limited to:</p> <ul style="list-style-type: none"> <li>• A global search</li> <li>• The Related Functions Menu, which is a hierarchical sitemap of all Bloomberg applications.</li> </ul>
<p><b>2.4.6 Headings and Labels:</b> Headings and labels describe topic or purpose.</p>	Supported	
<p><b>2.4.7 Focus Visible:</b> Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p>	Supported	
<p><b>2.4.11 Focus Not Obscured (Minimum):</b> When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.</p>	Supported	

## Guideline 2.5 Input Modalities

Make it easier for users to operate functionality through various inputs beyond keyboard.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.5.1 Pointer Gestures:</b> All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path based gesture, unless a multipoint or path-based gesture is essential.</p>	Supported	<p>Our widgets support this, including sliders which can be clicked on rather than dragged.</p>

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.5.2 Pointer Cancellation:</b> For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> <li>• <u>No Down-Event:</u> The down-event of the pointer is not used to execute any part of the function;</li> <li>• <u>Abort or Undo:</u> Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion;</li> <li>• <u>Up Reversal:</u> The up-event reverses any outcome of the preceding down event;</li> <li>• <u>Essential:</u> Completing the function on the down-event is essential.</li> </ul>	Supported	
<p><b>2.5.3 Label in Name:</b> For user interface components with labels that include text or images of text, the name contains the text that is presented visually.</p>	Partially Supported	While our application toolkits support this, it has not yet been applied everywhere in the Service.
<p><b>2.5.4 Motion Actuation:</b> Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:</p> <ul style="list-style-type: none"> <li>• <u>Supported Interface:</u> The motion is used to operate functionality through an accessibility supported interface;</li> <li>• <u>Essential:</u> The motion is essential for the function and doing so would invalidate the activity.</li> </ul>	Not Supported	The Service does not support motion actuation.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>2.5.7 Dragging Movements:</b> All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</p>	Partially Supported	There are a limited number of known functions in the Service that rely on drag/drop for rearranging the user interface or interacting with data (e.g., panning in a chart/graph).
<p><b>2.5.8 Target Size (Minimum):</b> The size of the target for pointer inputs is at least 24 by 24 CSS pixels, except where:</p> <ul style="list-style-type: none"> <li>• <b>Spacing:</b> Undersized targets (those less than 24 by 24 CSS pixels) are positioned so that if a 24 CSS pixel diameter circle is centered on the bounding box of each, the circles do not intersect another target or the circle for another undersized target;</li> <li>• <b>Equivalent:</b> The function can be achieved through a different control on the same page that meets this criterion;</li> <li>• <b>Inline:</b> The target is in a sentence or its size is otherwise constrained by the line-height of non-target text;</li> <li>• <b>User agent control:</b> The size of the target is determined by the user agent and is not modified by the author;</li> <li>• <b>Essential:</b> A particular presentation of the target is essential or is legally required for the information being conveyed.</li> </ul>	Partially Supported	<p>At the default window zoom level, some functions in the Service do not meet this success criterion. Users may adjust the zoom level to help accommodate the minimum target size where needed.</p> <p>We are also in the process of gradually migrating functionality to a new design standard that is intended to meet this success criterion at the default zoom level.</p>

### C. Principle 3: Understandable

Information and the operation of user interface must be understandable.

#### Guideline 3.1 Readable

Make text content readable and understandable.

Criteria	Supporting Feature	Remarks and Explanations
<b>3.1.1 Language of Page:</b> The default human language of each Web page can be programmatically determined.	Supported	
<b>3.1.2 Language of Parts:</b> The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.	Not Supported	

#### Guideline 3.2 Predictable

Make Web pages appear and operate in predictable ways.

Criteria	Supporting Feature	Remarks and Explanations
<b>3.2.1 On Focus:</b> When any component receives focus, it does not initiate a change of context.	Supported	
<b>3.2.2 On Input:</b> Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component	Supported	
<b>3.2.3 Consistent Navigation:</b> Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.	Partially Supported	Window-level navigational mechanisms are consistent.  Service applications running within the window may or may not provide consistent navigational mechanisms.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>3.2.4 Consistent Identification:</b> Components that have the same functionality within a set of Web pages are identified consistently.</p>	Partially Supported	Within an application, this is consistent. Across applications, there is some level of consistency. Text alternatives for icons may not be the same across applications.
<p><b>3.2.6 Consistent Help:</b> If a web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple web pages within a set of web pages, they occur in the same relative order to other page content, unless a change is initiated by the user:</p> <ul style="list-style-type: none"> <li>• Human contact details;</li> <li>• Human contact mechanism;</li> <li>• Self-help option;</li> <li>• A fully automated contact mechanism.</li> </ul>	Supported	

### Guideline 3.3 Input Assistance

Help users avoid and correct mistakes.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>3.3.1 Error Identification:</b> If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p>	Partially Supported	<p>This criteria is supported via two-line error messages and tooltips. For single errors, we describe the error in the two-line text and tooltip text.</p> <p>There are instances in which the Service auto-corrects errors without descriptive text of the error.</p>
<p><b>3.3.2 Labels or Instructions:</b> Labels or instructions are provided when content requires user input.</p>	Partially Supported	Some applications do not provide labels or instructions when content requires user input.

Criteria	Supporting Feature	Remarks and Explanations
<p><b>3.3.3 Error Suggestion:</b> If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</p>	Partially Supported	<p>This criteria is supported via two-line error messages and tooltips. For single errors, we describe the error in the two-line text and tooltip text.</p> <p>There are instances in which the Service auto-corrects errors without descriptive text of the error.</p>
<p><b>3.3.4 Error Prevention (Legal, Financial, Data):</b> For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ul style="list-style-type: none"> <li>• <b>Reversible:</b> Submissions are reversible.</li> <li>• <b>Checked:</b> Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>• <b>Confirmed:</b> A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> </ul>	Supported	<p>There are many situations in which we offer a confirmation path to the user, such as blotters and post-trade tickets. However, many users' workflows require that there is no confirmation, such as routing a trade - we follow relevant regulations and requirements.</p>
<p><b>3.3.7 Redundant Entry</b> Information previously entered by or provided to the user that is required to be entered again in the same process is either:</p> <ul style="list-style-type: none"> <li>• auto-populated, or</li> <li>• available for the user to select.</li> </ul> <p>Except when:</p> <ul style="list-style-type: none"> <li>• re-entering the information is essential,</li> <li>• the information is required to ensure the security of the content, or</li> <li>• previously entered information is no longer valid.</li> </ul>	Supported	

Criteria	Supporting Feature	Remarks and Explanations
<p><b>3.3.8 Accessible Authentication (Minimum):</b> A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following:</p> <ul style="list-style-type: none"> <li>• <u>Alternative</u>: Another authentication method that does not rely on a cognitive function test.</li> <li>• <u>Mechanism</u>: A mechanism is available to assist the user in completing the cognitive function test.</li> <li>• <u>Object Recognition</u>: The cognitive function test is to recognize objects.</li> <li>• <u>Personal Content</u>: The cognitive function test is to identify non-text content the user provided to the website.</li> </ul>	Supported	<ul style="list-style-type: none"> <li>• <u>Mechanism</u>: We support copy/paste into authentication fields.</li> <li>• <u>Mechanism</u>: For multi-factor authentication, we have a biometric security authentication app (B-Unit) on Android and iOS that will authenticate a user without requiring them to enter a code.</li> </ul>

## D. Principle 4: Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

### Guideline 4.1 Compatible

Maximize compatibility with current and future user agents, including assistive technologies.

Criteria	Supporting Feature	Remarks and Explanations
<b>4.1.1 Parsing (Obsolete and removed)</b>	Not Applicable	This Success Criterion has been removed as part of the update from WCAG V2.1 to V2.2.
<b>4.1.2 Name, Role, Value:</b> For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.	Partially Supported	We support a limited set of widgets, including buttons, dropdown menus, links, regions and tabs.
<b>4.1.3 Status Messages:</b> In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.	Partially Supported	IB notifications comply with this guideline.

### III. Disclaimer

This Report is for informational purposes only. To the maximum extent permitted by law, Bloomberg and its affiliates shall not be responsible for or have any liability for any injuries or damages arising out of or in connection with this Report, and Bloomberg makes no guarantee as to the adequacy, correctness or completeness of, nor does Bloomberg make any representation or warranty (whether express or implied) with respect to this Report or any service or services described herein.

For the avoidance of doubt, provision of any services by Bloomberg is subject to agreement to the terms and conditions of a definitive, final contract (the "Final Agreement"). To the extent this Report refers to services that are currently licensed by Recipients of this Report (the "Recipient"), provision of those services is subject to the terms and conditions of Recipient's applicable agreement with Bloomberg, including any amendments, addenda or schedules thereto (the "Agreements"), and such Agreements shall govern in the event of any inconsistency between this Report or the Agreements.

The Bloomberg Terminal service and data products are owned and distributed by Bloomberg Finance L.P. ("BFLP") except (i) in Argentina, Australia and certain jurisdictions in the Pacific islands, Bermuda, China, India, Japan, Korea and New Zealand, where Bloomberg L.P. and its subsidiaries ("BLP") distribute these products, and (ii) in Singapore and the jurisdictions serviced by Bloomberg's Singapore office, where a subsidiary of BFLP distributes these products. BLP or one of its subsidiaries provides BFLP and its subsidiaries with global marketing and operational support and service. Certain features, functions, products and services are available only to sophisticated institutional investors and only where permitted. BFLP, BLP and their affiliates do not guarantee the accuracy of prices or information in the services. Nothing in the services shall constitute or be construed as an offering of financial instruments by BFLP, BLP or their affiliates, or as investment advice or recommendations by BFLP, BLP or their affiliates of an investment strategy or whether or not to "buy", "sell" or "hold" an investment. The following are trademarks and service marks of BFLP, a Delaware limited partnership, or its subsidiaries: BLOOMBERG, BLOOMBERG ANYWHERE, BLOOMBERG MARKETS, BLOOMBERG NEWS, BLOOMBERG PROFESSIONAL, BLOOMBERG TERMINAL and BLOOMBERG.COM. Absence of any trademark or service mark from this list does not waive Bloomberg's intellectual property rights in that name, mark or logo. All rights reserved.

This Report includes material copied from or derived from the Web Content Accessibility Guidelines ([WCAG 2.2](#)). [Copyright](#) © 2020-2024 [World Wide Web Consortium](#). W3C® [liability](#), [trademark](#) and [document use](#) rules apply. This Report is not the WCAG 2.2 and should not be used as a substitute for it. Excerpts of WCAG 2.2 are referenced solely for purposes of detailing Bloomberg's conformance with the relevant provisions. The original and complete copy of the Web Content Accessibility Guidelines is available from the [W3C WAI](#).